

MATERIAL SAFETY DATA SHEET #172



Date-Issued: 05/15/03
Date-Revised: 05/15/03
Revision No: New MSDS

Ultimate Shine

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Ultimate Shine
GENERAL USE: Automotive reconditioning product
PRODUCT DESCRIPTION: Water Based Silicone Tire Dressing
PRODUCT CODE: 172
PRODUCT FORMULATION NAME: Ultimate Shine
GENERIC NAME: Tire Dressing

MANUFACTURER

Southwest Auto Care ®
Autocare™
17054 South 54th Street
Chandler, Arizona 85226-4118

24 HR. EMERGENCY TELEPHONE NUMBERS

INFOTRAC (U.S.): (800) 535-5053
Office Phone: (480) 705-0273
Emergency Phone: (888) 846-2442

COMMENTS: To the best of our knowledge, this Material Safety Data Sheet conforms to the requirements of US OSHA 29 CFR 1910.1200.

2. COMPOSITION / INFORMATION ON INGREDIENTS

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: May cause a slip hazard if material gets on floor.

POTENTIAL HEALTH EFFECTS

EYES: May be irritating to the eyes.

SKIN: May cause slight irritation.

INGESTION: May be irritating to mouth, throat and stomach.

INHALATION: Prolonged inhalation may be harmful.

MEDICAL CONDITIONS AGGRAVATED: Not established

ROUTES OF ENTRY: Include skin contact, eye contact and ingestion

TARGET ORGAN STATEMENT: Not established

CANCER STATEMENT: Not established

4. FIRST AID MEASURES

EYES: Flush eye with water for 15 minutes. Seek medical attention if irritation persists.

SKIN: Wash with soap and water.

INGESTION: If swallowed, induce vomiting. Get medical attention immediately.

INHALATION: Move to fresh air

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: None

AUTOIGNITION TEMPERATURE: None

EXTINGUISHING MEDIA: Use water, foam, dry chemical or co2 extinguisher

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Contain and collect with absorbent

LARGE SPILL: LARGE SPILLS: Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid runoff into storm sewers and ditches which lead to waterways.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Keep out of reach of Children.

STORAGE TEMPERATURE: 0°C (32°F) minimum to 5050°C (122°F) maximum

SHELF LIFE: Two years

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses with side shields or goggles.

SKIN: Use Nitrile/ Vinyl gloves

PROTECTIVE CLOTHING: Clean, body-covering clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: bubblegum odor

APPEARANCE: Blue Liquid

pH: 7-8

SPECIFIC GRAVITY: ~1.0 gm/ml

10. STABILITY AND REACTIVITY

STABLE: YES

HAZARDOUS POLYMERIZATION: NO

11. TOXICOLOGICAL INFORMATION

SENSITIZATION: Not established

CARCINOGENICITY:

IARC: Listed by IARC- NO

NTP: Listed by NTP- NO

OSHA: Listed by OSHA- NO

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available

ECOTOXICOLOGICAL INFORMATION: Not available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose in accordance with local, state, and federal laws.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: NOT REGULATED

TECHNICAL NAME: NOT REGULATED

PRIMARY HAZARD CLASS/DIVISION: N/A

OTHER SHIPPING INFORMATION: Not dangerous material according to CFR49 regulations

15. REGULATORY INFORMATION

16. OTHER INFORMATION

PREPARED BY: Jim Kinzy

REVISION SUMMARY New MSDS

HMIS RATING

HEALTH:	-	0
FLAMMABILITY:		0
REACTIVITY:		0
PERSONAL PROTECTION:		

MANUFACTURER DISCLAIMER: The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.